Sleeping Beauty Castle Paper Model—License Agreement

By downloading this file and the accompanying Licensed Materials, the end user ("Licensee") agrees to conform to this License Agreement (this "Agreement") with Robert Nava, the Disney Experience website [www.disneyexperience.com] ("Licensor").

I. Content of Licensed Materials; Grant of License

The materials that are the subject of this Agreement shall consist of the Sleeping Beauty Castle Paper Model in electronic and physical form (hereinafter referred to as the "Licensed Materials").

Licensee acknowledges that the copyright and title to the Licensed Materials and any trademarks or service marks relating thereto remain with Licensor and/or its suppliers. Licensee shall not have right, title or interest in the Licensed Materials except as expressly set forth in this Agreement.

Licensor hereby grants to Licensee non-exclusive use of the Licensed Materials in accordance with this Agreement.

II. Access of Licensed Materials to Licensee

Licensor will provide the Licensed Materials to the Licensee in the following manner:

<u>File Transfer.</u> Copies of the Licensed Materials will be provided to the Licensee through the Disney Experience website at the sole discretion of the Licensor.

III. Fees

Licensee is required to make no payment to Licensor for use of the Licensed Materials.

IV. Authorized Use of Licensed Materials

<u>Authorized Uses.</u> Licensee may make all use of the Licensed Materials as is consistent with the Fair Use Provisions of United States and international law. Nothing in this Agreement is intended to limit in any way whatsoever Licensee's rights under the Fair Use provisions of United States or international law to use the Licensed Materials.

The Licensed Materials may be used for purposes of research, education or other non-commercial use as follows:

<u>Archival/Backup Copy.</u> Upon request of Licensee, Licensee may create one (1) copy of the entire set of Licensed Materials to be maintained as a backup or archival copy during the term of this Agreement.

V. Specific Restrictions on Use of Licensed Materials

<u>Unauthorized Use.</u> Licensee shall not knowingly permit anyone other to use the Licensed Materials.

<u>Modification of Licensed Materials.</u> Licensee shall not modify or create a derivative work of the Licensed Materials without the prior written permission of Licensor.

<u>Removal of Copyright Notice.</u> Licensee may not remove, obscure or modify any copyright or other notices included in the Licensed Materials.

<u>Distribution Rights.</u> Licensee has no rights to transfer, host, or re-distribute the Licensed Materials or its derivatives under any circumstances or by any means available now or in the future.

<u>Commercial Purposes.</u> Other than as specifically permitted in this Agreement, Licensee may not use the Licensed Materials for commercial purposes, including but not limited to the sale of the Licensed Materials or bulk reproduction or distribution of the Licensed Materials in any form.

VI. Licensor Performance Obligations

Availability of Licensed Materials. Licensor shall make the Licensed Materials available to Licensee at his/her discretion.

<u>Notification of Modifications of Licensed Materials.</u> Licensee understands that from time to time the Licensed Materials may be added to, modified, or deleted from by Licensor and/or that portions of the Licensed Materials may migrate to other formats.

<u>Completeness of Content.</u> Where applicable, Licensor will inform Licensee of instances where online content differs from the print versions of the Licensed Materials.

Where applicable, Licensor shall use reasonable efforts to ensure that the online content is at least as complete as print versions of the Licensed Materials, represents complete, accurate and timely replications of the corresponding content contained within the print versions of such Materials, and will cooperate with Licensee to identify and correct errors or omissions.

<u>Withdrawal of Licensed Materials.</u> Licensor reserves the right to withdraw from the Licensed Materials any item or part of an item for which it no longer retains the right to publish, or which it has reasonable grounds to believe infringes copyright or is defamatory, obscene, unlawful or otherwise objectionable.

VII. Licensee Performance Obligations

<u>Protection from Unauthorized Use.</u> Licensee shall use reasonable efforts to protect the Licensed Materials from any use that is not permitted under this Agreement. In the event of any unauthorized use of the Licensed Materials by an Authorized User, (a) Licensor may terminate such Authorized User's access to the Licensed Materials, (b) Licensor may terminate the access of the Internet Protocol ("IP") address(es) from which such unauthorized use occurred, and/or (c) Licensee shall terminate such Authorized User's access to the Licensed Materials upon Licensor's request. Licensor shall take none of the steps described in this paragraph without first providing reasonable notice to Licensee and cooperating with the Licensee to avoid recurrence of any unauthorized use.

VIII. Early Termination

In the event that either party believes that the other materially has breached any obligations under this Agreement, or if Licensor believes that Licensee has exceeded the scope of the License, such party shall so notify the breaching party in writing. The breaching party shall have 1 week from the receipt of notice to cure the alleged breach and to notify the non-breaching party in writing that cure has been effected. If the breach is not cured within the 1 week, the non-breaching party shall have the right to terminate the Agreement without further notice.

Upon Termination of this Agreement for cause online access to the Licensed Materials by Licensee and shall be terminated. Authorized copies of digital Licensed Materials must be destroyed immediately.

IX. Perpetual License

Except for termination for cause, Licensor hereby grants to Licensee a nonexclusive, royalty-free, perpetual license to use any Licensed Materials that were accessible during the term of this Agreement. Such use shall be in accordance with the provisions of this Agreement. The means by which Licensee shall have access to such Licensed Materials shall be in a manner and form substantially equivalent to the means by which access is provided under this Agreement.

X. Warranties

Subject to the Limitations set forth elsewhere in this Agreement:

Licensor warrants that it has the right to license the rights granted under this Agreement to use Licensed Materials, that it has obtained any and all necessary permissions from third parties to license the Licensed Materials, and that use of the Licensed Materials by Authorized Users in accordance with the terms of this Agreement shall not infringe the copyright of any third party.

XI. Limitations on Warranties

Notwithstanding anything else in this Agreement:

Neither party shall be liable for any indirect, special, incidental, punitive or consequential damages, including but not limited to loss of data, business interruption, or loss of profits, arising out of the use of or the inability to use the Licensed Materials.

Licensor makes no representation or warranty, and expressly disclaims any liability with respect to the content of any Licensed Materials, including but not limited to errors or omissions contained therein, libel, infringement of rights of publicity, privacy, trademark rights, moral rights, or the disclosure of confidential information.

Except for the express warranties stated herein, the Licensed Materials are provided on an "as is" basis, and Licensor disclaims any and all other warranties, conditions, or representations (express, implied, oral or written), relating to the Licensed Materials or any part thereof, including, without limitation, any and all implied warranties of quality, performance, merchantability or fitness for a particular purpose. Licensor makes no warranties respecting any harm that may be caused by the transmission of a computer virus, worm, time bomb, logic bomb or other such computer program. Licensor further expressly disclaims any warranty or representation to Authorized Users, or to any third party.

XII. Assignment and Transfer

Neither party may assign, directly or indirectly, all or part of its rights or obligations under this Agreement without the prior written consent of the other party, which consent shall not be unreasonably withheld or delayed.

XIII. Governing Law

This Agreement shall be interpreted and construed according to, and governed by, the laws of California, excluding any such laws that might direct the application of the laws of another jurisdiction. The federal or state courts located in California shall have jurisdiction to hear any dispute under this Agreement.

XIV. Entire Agreement

This Agreement constitutes the entire agreement of the parties and supersedes all prior communications, understandings and agreements relating to the subject matter hereof, whether oral or written.

XV. Amendment

No modification or claimed waiver of any provision of this Agreement shall be valid except by written amendment signed by authorized representatives of Licensor and Licensee.

SLEEPING BEAUTY CASTLE



Difficulty Level: 8 (of 10)

o Width: 17", Height: 16.5", Depth: 22.5"

o 518 Full-color pieces.

o Drawbridge raises & lowers.

Required Tools:

Adobe® Reader®

- o Color Printer
- Glue
- X-acto Knife (These are very sharp and can cause serious injury! Use with extreme caution, and keep out of reach of children.)
- Scissors
- o Toothpicks
- o Ruler
- Black marker or paint (see Step 57)
- Black string/thread (see Step 60)

Optional Tools:

- Short lengths of small chain (see Step 60)
- o See Step 66

Printing Guidelines:

When printing with Adobe® Reader®, it is important to use proper printing settings for correct alignment and scaling. Click the Print Tool button. In the Print settings dialog box, set Page Scaling to None, and enable the Auto-Rotate and Center option. Unless you are a professional modeler, you should print on 8 ½ by 11 (U.S. Letter) sheets, and should not change the recommended print settings.

Instructions:

When printing these instructions, you should print on both sides of the sheets to save paper. You can also print in black & white to save color ink/toner. Some people prefer not to print, referencing the instructions from their computer monitor.

Model Parts:

This model has been designed for printing on every-day printer paper, so you're ready print right away! However, some people prefer to print on cardstock of their choosing (each have their own preferences).

If you should need to re-print selective model parts, you can use the Snapshot Tool in Adobe® Reader®. Click the icon once, then click-drag a box around the area that you want to print. The selected area will flash once (a "snapshot"), and you're ready to print. In the Print settings dialog box, you will see a preview of the document. In the preview, only the snapshot appears and will be printed. This saves you from printing the whole page, thus saving ink/toner.

Troubleshooting Files:

If you feel that the model parts are not printing properly, you can use the alignment box in the lower-right corner of the model part sheets. Hold two or more sheets to a light source, and compare both the position and sizes of the alignment boxes.


Sometimes PDF files can become corrupted while downloading. This is not uncommon, and is no cause for alarm. Delete the bad files, and try re-downloading them. Another common error is that your version of Adobe® Reader® is out-of-date. Please visit the Adobe® Web site and download the latest version of the software. This typically solves 90% of users' file problems.

Construction Guidelines


Read these instructions and study the illustrations to know what/where to cut/fold. Before gluing, always dry-fit the pieces to ensure they fit properly. Be aware that paper will absorb moisture from watery glue, and it may expand.

When following these instructions, do not take the illustrations too literally. In many cases, pieces will be simplified (i.e. no tabs). Other times, pieces or entire sections may be missing that were previously displayed. This does not mean you should ever disassemble your model (unless instructed to do so).


Most model parts have numbered tabs. The numbers indicate which parts get glued to the tabs.




- Punch holes before cutting pieces 2A & 2B out. Use a toothpick to widen the holes until the toothpick slides through snugly. Assemble 2A & 2B to their selves as shown. The printed sides of pieces 2A face inward.
- 2. Glue pieces 2A to the back of 1A.
- 3. Insert pieces 2B into the slots of 1A and align the holes.




4. Cut 2 short rods (1/4 ") from a toothpick. Insert the rods through the holes to lock pieces 2B, allowing them to move up and down. Cut 4 tiny squares of paper and glue them to the ends of both rods to prevent them from sliding out.





- 5. Glue piece 1C to the inside to 1B. Then glue the whole thing to the front of piece 1A.
- 6. Glue pieces 1E-G as shown.







- 7. Glue piece 1I to the top of the castle entrance, printed side facing inward. Be sure to glue tabs and walls to the unprinted side.
- 8. Glue pieces 1J and 1M to the outside of piece 1I.













9. Glue pieces 7H and 7I to themselves as shown.




10. Glue pieces 7G-I to the inside of pieces 7E.








- 11. After the glue has dried, you may have to glue the "fingers" of the turret assembly to the base assembly.
- 12. For pieces 18A and 18B, it's important to line up the seams.







13. Glue pieces 3F, 4F, and 18F to the inside of pieces 3E, 4E, and 18E.





- 14. Glue the turret assembly over the top of the base assembly.
- 15. After the glue has dried, you may have to glue the "fingers" of the turret assembly to the base assembly.




- 16. Glue pieces 6I to their selves as shown.
- 17. Glue pieces 6I to the underside of 6J.













18. Glue the roof assembly over the top of the turret assembly. The roof will have an overhang.





- 19. Glue piece 17E (underside of turret assembly) to the inside of the tower base assembly.
- 20. Glue the "fingers" of the turret assembly to the sides of the base assembly.

































21. Glue pieces 80 and 8R to themselves as shown.










- 22. Glue piece 37I to itself as shown.
- 23. Glue pieces 37D to their selves as shown.
- 24. Glue piece 37B to the outside of 37A.
- 25. Glue piece 37C to the white area inside of piece 37A.





- 26. Glue pieces 37E-I to themselves as shown.
- 27. Repeat steps 22-26 for pieces 38A-H. The pieces are mirror copies, creating a mirror turret assembly.






























- 28. Glue piece 14C to the outside of piece 14B.
- 29. Glue piece 14D to piece 14C.




- 30. Glue piece 14F to piece 14E. Make sure that the seam of 14F faces inward.
- 31. Glue piece 14H to pieces 14E and 14F.
- 32. Glue piece 14J to piece 14I. Make sure that the missing tab on 14J is aligned with the notch on 14I.
- 33. Glue the turret roof assembly to the top of piece 14H. The smaller turret will fit snugly inside the notch.










- 34. Glue pieces 12V-W to the inside of pieces 12O-S.
- 35. Glue pieces 12U to the bottom corners of the turret assembly.





36. Glue pieces 12J-L together, then glue to the top of the square turret.









































37. Glue pieces 15H to themselves as shown.




38. Glue pieces 15H to the corners of piece 15A.




- 39. Glue piece 16F to the outside of piece 16E.
- 40. Glue the "fingers" of piece 16F to itself as shown.
- 41. Glue the lower turret assembly over the top of piece 16C.
- 42. Glue the "fingers" of the lower turret assembly to the sides of piece 16C.
- 43. Glue piece 16I to the inside of piece 16J.




44. Glue piece 16L to the small circle area on piece 16H.








45. Glue the upper turret assembly over the top of the lower turret assembly.


46. Glue the "fingers" of the upper turret assembly to the sides of the lower turret assembly.

































































47. Glue pieces 28A-D to their selves. This will make two identical support columns.




48. Position the 'U' support column assembly under the tunnel. DO NOT GLUE.




- 49. Glue the roof assembly to the tabs of the lower structure.
- 50. Insert the upper tabs of the support column assemblies through the holes of the roof assembly.
- 51. Glue the column support tabs to the top of the roof assembly.




52. Glue the upper castle assembly to the roof assembly. Take your time, and glue small sections one at a time. This will make it less frustrating than trying to position the assembly all at once before the glue dries.




- 53. Glue the walls and towers to the castle base and to themselves as shown.
- 54. Glue pieces 41 to the castle walls




55. Glue pieces 40B to their selves. If you'd rather take the time to cut, glue pieces 40A instead for a greater realism.




56. Punch holes before cutting piece 31A out. Use a toothpick to widen the holes until the toothpick slides through snugly. Assemble piece 31A to itself as shown.




57. Cut the ends off of 6 toothpicks (1 inch). Use marker, acrylic paint, or a medium of your choice to color the toothpicks black (or any color you desire). Glue the toothpicks into the holes of the drawbridge assembly.




58. Glue pieces 31D to the toothpicks.




59. Glue the gate assembly to the top of the tunnel. Recess it at least 1/8 of an inch.





60. Use 2 pieces of black string to connect the drawbridge assembly to the drawbridge arms. For greater realism, use thin black (or silver) chains made of miniature chain links. You can typically get these chains at your local arts & crafts store. A fabric store may also supply them; they are usually wound on rods and are sold with the lace section. You can also try a hardware store. The chains should be extremely cheap, and you may want to buy a little extra in case you mess up.





61. Punch holes before cutting piece 32A out. Use a toothpick to widen the holes until the toothpick slides through snugly.



























62. Glue pieces 32K & 32L to themselves as shown.











- 63. Glue pieces 34A/B, 35A/B, & 36A/B to six toothpicks.
- 64. Glue pieces 33A over the top of the end of the toothpicks.



- 65. Glue the banners into the holes of the ramp assembly.
- 66. Prepare pieces 39A-G by gluing them to their selves. You may also want to glue all of the pieces around short pieces of wire (or something thin and stiff) to help you glue them

to the turrets in the next step. While the glue is still wet, bend and twist pieces 39A-C to make them appear to flap in the wind. As the glue dries, the pieces will retain their shape.



Congratulations; you've completed the model!