

Assembly Instructions

- | | |
|--|--|
| Mountain fold (dotted line) *Make a mountain fold. | —— Scissors line (solid line) *Cut along the line. |
| - · - · - Valley fold (dashed and dotted line) *Make a valley fold. | —— Cut in line (solid line) *Make a cut. |
| ▲ Black triangle Glue here | △ White triangle Glue the back |




scissors, paste, a used ballpoint pen (tracing along the fold lines makes them easier to fold)




Caution: Glue, scissors, and other tools may be dangerous to young children so be sure to keep them out of the reach of young children.


- 1 Cut out the parts and fold them along the fold lines on each. Fold the message card and wheels in half and glue them, then cut out according to their shape.




- 2 Fold the glue tab that is on the back of the car inside the car and glue it down, then attach part A to it. Attach glue tab A, aligning it to the bottom edge of the car. Attach glue tabs B to the rings for the pivots, as shown in the diagram.




- 3 Attach part B to one of the glue spots on the message card, feed part B through part A (from step 2), and then attach part B to the second glue spot.



- 4 Make sure the message card is slotted inside glue tab A, and attach all the car's glue tabs together. At this point, make sure both sides are enclosed in between glue tab A and glue tabs B. Insert the pivots through the holes, and attach the wheels on both sides, and you're done!



*See the pattern sheets for a more detailed explanation of the pivot.




*When cutting out the hole for the pivot, it will be easier if you cut along the slot right through the circle, then cut the two halves of the circle out separately.


●Part B




●Message card




●Wheel



●Pivot






How to use the pivot




- 1: Fold in half and glue, then cut out according to its shape.
- 2: Fold the bigger fan shape along the fold lines.
- 3: Curve the parts to be inserted into the fan as shown in the diagram, insert into the hole, and open the fan-shaped parts on the other side.
- 4: Attach the wheel to the front and back of the fan-shaped parts accordingly.
Be careful that the center is aligned properly! The wheels may not turn smoothly at first.
Turn them a few times to break them in, and you're done!

Assembly Instructions



●Envelope



●Stickers

